

## TEC Series

No.	Model No.	I <sub>max</sub> A	Th=30°C			Measurement				
			T <sub>max</sub> °C	V <sub>max</sub> V	Q <sub>max</sub> W	W <sub>上</sub>	L <sub>上</sub>	W <sub>下</sub>	L <sub>下</sub>	H
mm										
1	TEC1-00703	3.2	≥65	0.82	1.57	10	10	10	10	5.2
2	TEC1-00703	3.9	≥65	0.82	1.91	10	10	10	10	4.2
3	TEC1-00703	3.2	≥65	0.82	1.57	10	10	10	10	3.15
4	TEC1-00704	4.0	≥66	0.82	1.96	10	10	10	10	3.8
5	TEC1-00705	5.5	≥66	0.82	2.70	10	10	10	10	3.9
6	TEC1-00706	6.0	≥66	0.82	2.94	10	10	10	10	3.8
7	TEC1-00707	7.5	≥66	0.82	3.68	10	10	10	10	3.5
8	TEC1-00708	8.5	≥66	0.82	4.17	10	10	10	10	3.5
9	TEC1-00710	10.0	≥66	0.82	4.90	10	10	10	10	3.5
10	TEC1-00712	12.0	≥60	0.82	5.88	10	10	10	10	3.2
11	TEC1-00715	15.0	≥65	0.82	7.35	10	10	10	10	3.1
12	TEC1-01703	3.2	≥65	2.00	3.81	15	15	15	15	5.2
13	TEC1-01703	3.9	≥66	2.00	4.64	15	15	15	15	4.2/4.4
14	TEC1-01703	3.2	≥65	2.00	3.81	15	15	15	15	5.4
15	TEC1-01704	4.0	≥66	2.00	4.76	15	15	15	15	3.8
16	TEC1-01705	5.5	≥66	2.00	6.55	15	15	15	15	3.9
17	TEC1-01706	6.0	≥66	2.00	7.14	15	15	15	15	3.8
18	TEC1-01707	7.5	≥66	2.00	8.93	15	15	15	15	3.5
19	TEC1-01708	8.0	≥66	2.00	9.52	15	15	15	15	3.5
20	TEC1-01708	8.5	≥66	2.00	10.10	20	20	20	20	4.6
21	TEC1-01709	9.0	≥66	2.00	10.70	23	23	23	23	5.3
22	TEC1-01710	10.0	≥66	2.00	11.90	15	15	15	15	3.5
23	TEC1-01710	10.0	≥66	2.00	11.90	20	20	20	20	4.2
24	TEC1-01712	12.0	≥66	2.00	14.30	20	20	20	20	4.0

25	TEC1-01714	14.0	≥66	2.00	16.70	20 20 20 20	3.8
26	TEC1-01718	18.0	≥66	2.00	21.40	20 20 20 20	3.65
27	TEC1-01720	20.0	≥65	2.00	23.80	20 20 20 20	3.4
28	TEC1-01730	30.0	≥65	2.00	35.70	23 23 23 23	4.4
29	TEC1-02302	2.3	≥66	2.72	3.70	30 10 30 10	5.2
30	TEC1-02302	2.0	≥66	2.72	3.22	30 10 30 10	4.7
31	TEC1-02303	3.9	≥66	2.83	6.28	10 30 10 30	4.2
32	TEC1-02303	3.9	≥66	2.83	6.28	15 20 15 20	4.7
33	TEC1-02303	3.9	≥66	2.83	6.28	10 30 10 30	4.4
34	TEC1-02304	4.0	≥66	2.83	6.44	15 20 15 20	3.8
35	TEC1-02305	5.5	≥66	2.83	8.86	15 20 15 20	3.9
36	TEC1-02306	6.0	≥66	2.83	9.66	15 20 15 20	3.8
37	TEC1-02307	7.5	≥66	2.83	12.10	15 20 15 20	3.5
38	TEC1-02307	7.5	≥66	2.83	12.10	10 30 10 30	3.5
39	TEC1-02308	8.5	≥66	2.83	13.70	15 20 15 20	3.5
40	TEC1-02310	10.0	≥66	2.71	16.10	15 20 15 20	3.4
41	TEC1-02312	12.0	≥66	2.83	19.30	15 20 15 20	3.2
42	TEC1-02315	15.0	≥66	2.83	24.20	15 20 15 20	3.1
43	TEC1-02503	3.9	≥66	3.00	6.83	外径 26 内径 10	4.2
44	TEC1-03101	1.3	≥65	3.66	2.82	20 20 20 20	5.2
45	TEC1-031015	1.5	≥65	3.66	3.26	20 20 20 20	4.4
46	TEC1-03102	2.3	≥65	3.66	4.99	20 20 20 20	5.2
47	TEC1-03103	3.9	≥65	3.66	8.46	9 35 9 35	4.4
48	TEC1-03103	3.9	≥65	3.66	8.46	10 40 10 40	4.7
49	TEC1-03103	3.9	≥65	3.66	8.46	20 20 20 20	4.2
50	TEC1-03103	3.9	≥65	3.66	8.46	20 20 20 20	4.7
51	TEC1-03103	3.9	≥65	3.66	8.46	10 40 10 40	4.9
52	TEC1-03103	3.9	≥65	3.66	8.46	20 20 20 20	4.4
53	TEC1-03103	3.9	≥65	3.66	8.46	20 20 20 20	4.9
54	TEC1-03104	4.0	≥66	3.66	8.68	20 20 20 20	3.8
55	TEC1-03105	5.5	≥66	3.66	11.90	20 20 20 20	3.9
56	TEC1-03106	6.0	≥66	3.66	13.00	20 20 20 20	3.8

57	TEC1-03107	7.5	≥66	3.66	16.30	20	20	20	20	3.5
58	TEC1-03108	8.5	≥66	3.66	18.40	10	40	10	40	3.5
59	TEC1-03108	8.5	≥66	3.66	18.40	20	20	20	20	3.5
60	TEC1-03108	8.5	≥66	3.66	18.40	25.4	25.4	25.4	28.7	4.9
61	TEC1-03108	8.5	≥66	3.66	18.40	30	30	30	30	4.6
62	TEC1-03108	8.5	≥66	3.66	18.40	25	25	25	25	4.6
63	TEC1-03109	9.0	≥66	3.66	19.50	25.4	25.4	25.4	28.7	4.7
64	TEC1-03109	9.0	≥66	3.66	19.50	30	30	30	30	4.8
65	TEC1-03110	10.0	≥66	3.66	21.70	20	20	20	20	3.4
66	TEC1-03110	10.0	≥66	3.66	21.70	25	25	25	25	4.2
67	TEC1-03110	10.0	≥66	3.66	21.70	30	30	30	30	4.2
68	TEC1-031100	100.0	≥63	3.66	217.00	40	40	40	40	3.8
69	TEC1-03112	12.0	≥66	3.66	26.00	25	25	25	25	4.0
70	TEC1-03112	12.0	≥66	3.66	26.00	30	30	30	30	4.0
71	TEC1-03114	14.0	≥66	3.66	30.40	25	25	25	25	3.8
72	TEC1-03114	14.0	≥66	3.66	30.40	30	30	30	30	3.8
73	TEC1-03115	15.0	≥66	3.66	32.60	25	25	25	25	3.8
74	TEC1-03118	18.0	≥65	3.66	39.00	25	25	25	25	3.65
75	TEC1-03118	18.0	≥65	3.66	39.00	30	30	30	30	3.65
76	TEC1-03120	20.0	≥65	3.66	43.40	25	25	25	25	3.4
77	TEC1-03120	20.0	≥65	3.66	43.40	30	30	30	30	3.4
78	TEC1-03130	30.0	≥65	3.66	65.10	30	30	30	30	4.4
79	TEC1-03130	30.0	≥65	3.66	65.10	35	35	35	35	5.0
80	TEC1-03130	30.0	≥65	3.66	65.10	40	40	40	40	4.2
81	TEC1-03140	40.0	≥66	3.66	86.80	35	35	35	35	4.5
82	TEC1-03140	40.0	≥66	3.66	86.80	40	40	40	40	4.0
83	TEC1-03140	40.0	≥65	3.66	86.80	55	55	55	55	5.4
84	TEC1-03150	50.0	≥66	3.66	108.50	35	35	35	35	4.2
85	TEC1-03150	50.0	≥66	3.66	108.50	40	40	40	40	4.4
86	TEC1-03160	60.0	≥63	3.66	130.20	35	35	35	35	4.0
87	TEC1-03160	60.0	≥66	3.66	130.20	40	40	40	40	4.2
88	TEC1-03180	80.0	≥63	3.66	173.60	35	35	35	35	3.8

89	TEC1-03180	80.0	≥63	3.66	173.60	40 40 40 40 4.0
90	TEC1-03503	3.9	≥66	4.13	9.56	15 30 15 30 4.2
91	TEC1-03503	3.9	≥66	4.13	9.56	15 30 15 30 4.7
92	TEC1-03504	4.0	≥66	4.13	9.80	15 30 15 30 3.8
93	TEC1-03505	5.5	≥66	4.13	13.50	15 30 15 30 3.9
94	TEC1-03506	6.0	≥66	4.13	14.70	15 30 15 30 3.8
95	TEC1-03507	7.5	≥66	4.13	18.40	15 30 15 30 3.5
96	TEC1-03508	8.5	≥66	4.13	20.80	15 30 15 30 3.5
97	TEC1-03510	10.0	≥66	4.13	24.50	15 30 15 30 3.5
98	TEC1-03630	30.0	≥65	4.20	75.60	69.4 64.6 44.8 40 5.4
99	TEC1-04002	2.3	≥65	4.72	6.44	15 34 15 34 5.2
100	TEC1-04008	8.5	≥66	4.80	23.80	5 100 5 100 4.15
101	TEC1-04703	3.2	≥66	5.55	12.80	20 30 20 30 4.7
102	TEC1-04703	3.2	≥66	5.55	12.80	20 30 20 30 4.9
103	TEC1-04704	4.0	≥66	5.55	13.20	20 30 20 30 3.8
104	TEC1-04705	5.5	≥66	5.60	18.10	20 30 20 30 3.8/4.0
105	TEC1-04706	6.0	≥66	5.55	19.70	20 30 20 30 3.8
106	TEC1-04708	8.5	≥66	5.55	28.00	20 30 20 30 3.5
107	TEC1-04709	9.5	≥65	5.60	29.60	20 30 20 30 3.0/3.2
108	TEC1-04710	10.0	≥66	5.55	32.90	20 30 20 30 3.5
109	TEC1-04712	12.0	≥66	5.60	39.50	20 30 20 30 3.2
110	TEC1-04715	15.0	≥66	5.55	49.40	20 30 20 30 3.1
111	TEC1-04901	1.3	≥65	5.78	4.46	25 25 25 25 5.2
112	TEC1-04902	2.3	≥65	5.78	7.89	25 25 25 25 5.2
113	TEC1-04903	3.9	≥66	5.78	13.40	25 25 25 25 4.2
114	TEC1-04903	3.9	≥66	5.78	13.40	25 25 25 25 4.7
115	TEC1-04903	3.9	≥66	5.78	13.40	25 25 25 25 4.4
116	TEC1-04904	4.0	≥66	5.78	13.70	25 25 25 25 3.8
117	TEC1-04905	5.5	≥66	5.78	18.90	25 25 25 25 3.9
118	TEC1-04906	6.0	≥66	5.78	20.60	25 25 25 25 3.8
119	TEC1-04907	7.5	≥66	5.78	25.70	25 25 25 25 3.5
120	TEC1-04908	8.5	≥66	5.78	29.20	25 25 25 25 3.5

121	TEC1-04910	10.0	≥66	5.78	34.30	25 25 25 25 3.4
122	TEC1-04912	12.0	≥66	5.78	41.20	25 25 25 25 3.2
123	TEC1-04915	15.0	≥66	5.78	51.50	25 25 25 25 3.1
124	TEC1-05802	2.3	≥66	6.84	9.34	30 30 30 30 5.2
125	TEC1-05908	8.5	≥66	6.70	35.10	20 50 20 50 3.5
126	TEC1-05910	10.0	≥66	6.96	41.30	60 20 60 20 4.0
127	TEC1-06301	1.3	≥65	7.43	5.73	40 40 40 40 5.2
128	TEC1-06302	2.7	≥66	7.43	11.90	20 40 20 40 5.2
129	TEC1-06302	2.7	≥66	7.43	11.90	40 40 40 40 4.7
130	TEC1-06303	3.9	≥67	7.43	17.20	20 40 20 40 4.2
131	TEC1-06303	3.9	≥67	7.43	17.20	20 40 20 40 4.7
132	TEC1-06303	3.9	≥67	7.43	17.20	40 40 40 40 4.2
133	TEC1-06303	3.5	≥67	7.43	15.40	20 40 20 40 4.9
134	TEC1-06304	4.0	≥66	7.43	17.60	20 40 20 40 3.8
135	TEC1-06304	4.0	≥66	7.43	17.60	40 40 40 40 3.8
136	TEC1-06305	5.5	≥66	7.43	24.20	20 40 20 40 3.9
137	TEC1-06305	5.5	≥66	7.43	24.20	40 40 40 40 3.9
138	TEC1-06306	6.0	≥66	7.43	26.50	20 40 20 40 3.8
139	TEC1-06306	6.0	≥66	7.43	26.50	40 40 40 40 3.8
140	TEC1-06307	7.5	≥66	7.43	33.10	20 40 20 40 3.5
141	TEC1-06308	8.5	≥66	7.43	37.50	20 40 20 40 3.5
142	TEC1-06308	8.5	≥66	7.43	37.50	20 40 20 40 4.0
143	TEC1-06308	8.5	≥66	7.43	37.50	40 40 40 40 3.5
144	TEC1-06309	9.5	≥65	7.43	39.70	20 40 20 40 3.0
145	TEC1-06309	9.5	≥65	7.43	39.70	40 40 40 40 3.0
146	TEC1-06310	10.0	≥66	7.43	44.10	20 40 20 40 3.5
147	TEC1-06310	10.0	≥66	7.43	44.10	50 20 50 20 3.5
148	TEC1-06310	10.0	≥66	7.43	44.10	40 40 40 40 3.5
149	TEC1-06311	11.0	≥63	7.43	48.50	20 40 20 40 3.3/3.5
150	TEC1-06312	12.0	≥65	7.43	52.90	20 40 20 40 3.0/3.2
151	TEC1-069025	2.7	≥66	8.10	13.00	20 30 20 30 5.2
152	TEC1-069025	2.7	≥66	8.14	12.10	20 30 20 30 4.4

153	TEC1-06903	3.9	≥67	8.10	16.90	φ30	4.7
154	TEC1-06907	7.5	≥66	8.10	36.20	20 30 20 30	3.5
155	TEC1-06909	9.0	≥65	8.10	43.50	φ30	3.4
156	TEC1-07101	1.3	≥65	8.40	6.46	30 30 30 30	5.2
157	TEC1-07102	2.3	≥66	8.40	11.40	30 30 30 30	5.2
158	TEC1-07102	2.7	≥66	8.40	13.40	30 30 30 30	4.9
159	TEC1-07103	3.9	≥66	8.40	19.40	30 30 30 30	4.2
160	TEC1-07103	3.9	≥66	8.40	19.40	30 30 30 30	4.7
161	TEC1-07103	3.4	≥66	8.40	16.90	30 30 30 30	4.7
162	TEC1-07104	4.0	≥66	8.40	19.90	30 30 30 30	3.8
163	TEC1-07104	4.0	≥66	8.40	19.90	30 30 30 30	4.4
164	TEC1-07105	5.5	≥66	8.40	27.30	30 30 30 30	3.9
165	TEC1-07106	6.0	≥66	8.40	29.80	30 30 30 30	3.8
166	TEC1-07106	6.0	≥66	8.40	29.80	30 30 30 30	4.0
167	TEC1-07106	6.0	≥66	8.40	29.80	38 38 38 38	3.8
168	TEC1-07106	6.0	≥66	8.40	29.80	45 20 45 20	3.8
169	TEC1-07107	7.5	≥66	8.40	37.30	30 30 30 30	3.5
170	TEC1-07108	8.5	≥66	8.40	42.20	30 30 30 30	3.5
171	TEC1-07108	8.5	≥66	8.40	42.20	38 38 38 38	4.6
172	TEC1-07108	8.5	≥66	8.40	42.20	44 44 44 44	4.6
173	TEC1-07109	9.0	≥66	8.40	44.70	30 30 30 30	3.0
174	TEC1-07109	9.0	≥66	8.40	44.70	46 46 46 46	5.3
175	TEC1-07110	10.0	≥66	8.40	49.70	30 30 30 30	3.5
176	TEC1-07110	10.0	≥66	8.40	49.70	38 38 38 38	4.2
177	TEC1-07110	10.0	≥66	8.40	49.70	44 44 44 44	7.5
178	TEC1-071100	100.0	≥63	8.40	497.00	62 62 62 62	4.1
179	TEC1-07112	12.0	≥66	8.40	59.60	30 30 30 30	3.2
180	TEC1-07112	12.0	≥66	8.40	59.60	38 38 38 38	4.0
181	TEC1-07112	12.0	≥66	8.40	59.60	44 44 44 44	4.0
182	TEC1-07112	12.0	≥66	8.40	59.60	44 47.5 44 47.5	4.75
183	TEC1-07113	13.0	≥65	8.40	64.60	30 30 30 30	3.2
184	TEC1-07114	14.0	≥66	8.40	69.60	38 38 38 38	3.8

185	TEC1-07114	14.0	≥66	8.40	69.60	44 44 44 44	3.8
186	TEC1-07115	15.0	≥65	8.40	74.60	30 30 30 30	3.1
187	TEC1-07118	18.0	≥65	8.40	89.50	38 38 38 38	3.65
188	TEC1-07118	18.0	≥65	8.40	89.50	44 44 44 44	3.65
189	TEC1-07120	20.0	≥65	8.40	99.40	38 38 38 38	3.4
190	TEC1-07120	20.0	≥65	8.40	99.40	44 44 44 44	3.4
191	TEC1-07130	30.0	≥65	8.40	149.00	46 46 46 46	4.4
192	TEC1-07130	30.0	≥66	8.40	149.00	55 55 55 55	5.3
193	TEC1-07140	40.0	≥66	8.40	198.80	55 55 55 55	4.8
194	TEC1-07140	40.0	≥66	8.40	198.80	62 62 62 62	5.1
195	TEC1-07150	50.0	≥66	8.40	248.50	55 55 55 55	4.5
196	TEC1-07150	50.0	≥66	8.40	248.50	62 62 62 62	4.7
197	TEC1-07160	60.0	≥63	8.40	298.20	55 55 55 55	4.3
198	TEC1-07160	60.0	≥66	8.40	298.20	62 62 62 62	4.5
199	TEC1-07180	80.0	≥63	8.40	397.60	55 55 55 55	4.1
200	TEC1-07180	80.0	≥63	8.40	397.60	62 62 62 62	4.3
201	TEC1-07901	1.3	≥65	9.30	7.19	50 20 50 20	5.2
202	TEC1-07903	3.9	≥66	9.30	21.60	20 50 20 50	4.7
203	TEC1-07904	4.0	≥66	9.30	22.10	20 50 20 50	3.8
204	TEC1-07905	5.5	≥66	9.30	30.40	20 50 20 50	3.9
205	TEC1-07906	6.0	≥66	9.30	33.20	20 50 20 50	3.8
206	TEC1-07907	7.5	≥66	9.30	41.50	20 50 20 50	3.5
207	TEC1-07908	8.5	≥66	9.30	47.00	20 50 20 50	3.5
208	TEC1-07909	9.0	≥66	9.30	49.80	20 50 20 50	3.0
209	TEC1-07910	10.0	≥66	9.30	55.30	20 50 20 50	3.5
210	TEC1-07910	10.0	≥66	9.30	55.30	20 50 20 50	3.7
211	TEC1-07912	12.0	≥66	9.30	66.40	50 20 50 20	3.2
212	TEC1-09010	10.0	≥66	10.60	63.00	梯形	3.9
213	TEC1-09503	3.2	≥66	11.30	20.00	11 62 11 62	5.2
214	TEC1-09503	3.2	≥66	11.30	20.00	30 40 30 40	5.2
215	TEC1-09503	3.2	≥66	11.30	20.00	11 62 11 62	4.7
216	TEC1-09503	3.2	≥66	11.30	20.00	30 40 30 40	4.9

217	TEC1-09504	4.0	≥66	11.20	26.60	30 40 30 40 3.8/4.4
218	TEC1-09505	5.5	≥66	11.20	36.60	30 40 30 40 3.9
219	TEC1-09510	10.0	≥66	11.50	66.50	11 62 11 64.5 3.5
220	TEC1-09512	12.0	≥66	11.20	79.80	30 40 30 40 3.2
221	TEC1-09515	15.0	≥66	11.20	99.80	30 40 30 40 3.1
222	TEC1-09703	3.2	≥66	11.40	20.40	30 30 30 30 5.2
223	TEC1-09703	3.2	≥66	11.40	20.40	30 30 30 30 4.7
224	TEC1-09709	9.5	≥65	11.40	61.10	30 30 30 30 3.0
225	TEC1-09905	5.5	≥66	11.70	38.10	23 49 23 49 3.9
226	TEC1-09908	8.5	≥66	11.70	58.90	23 49 23 49 3.5
227	TEC1-11004	4.0	≥66	13.00	30.80	40 40 40 40 3.8
228	TEC1-11005	5.5	≥66	12.00	42.40	40 40 40 40 3.9
229	TEC1-11006	6.0	≥66	13.00	46.20	35 40 35 40 3.8
230	TEC1-11007	7.5	≥66	13.00	57.80	35 40 35 40 3.5
231	TEC1-11904	4.0	≥66	14.00	33.30	40 40 40 40 3.8φ4.5
232	TEC1-11906	6.0	≥66	14.00	50.00	40 40 40 40 3.8
233	TEC1-12701	1.3	≥65	15.00	11.60	40 40 40 40 5.2
234	TEC1-12702	2.3	≥66	15.0	24.00	40 40 40 40 4.2/4.4
235	TEC1-12703	3.9	≥67	15.00	34.70	40 40 40 40 4.2
236	TEC1-12703	3.9	≥66	15.00	34.70	40 40 40 40 4.7
237	TEC1-12703	3.9	≥66	15.00	34.70	40 40 40 40 4.9
238	TEC1-12703	3.9	≥66	15.00	34.70	50 50 50 50 4.9
239	TEC1-12703	3.9	≥66	15.00	34.70	40 40 40 40 4.4
240	TEC1-12704	4.0	≥67	15.00	35.60	40 40 40 40 3.8/4.4
241	TEC1-12705	5.5	≥67	15.00	48.50	40 40 40 40 3.9
242	TEC1-12705	5.5	≥67	15.00	48.50	50 50 50 50 3.9
243	TEC1-12706	6.0	≥67	15.00	53.30	40 40 40 40 3.8
244	TEC1-12706	6.0	≥67	15.00	53.30	50 50 50 50 4.0
245	TEC1-12706	6.0	≥67	15.00	53.30	62 62 62 62 5.2
246	TEC1-12707	7.5	≥66	15.00	66.70	40 40 40 40 3.5
247	TEC1-12707	7.5	≥66	15.00	66.70	50 50 50 50 4.9
248	TEC1-12707	7.5	≥66	15.00	66.70	62 62 62 62 5.7



249	TEC1-12708	8.0	≥66	15.00	75.60	40 40 40 40	3.5
250	TEC1-12708	8.5	≥66	15.00	75.60	40 40 40 44	3.5
251	TEC1-12708	8.5	≥66	15.00	75.60	50 50 50 50	4.9
252	TEC1-12708	8.5	≥66	15.00	75.60	62 62 62 62	4.9
253	TEC1-12709	9.5	≥66	15.00	80.00	40 40 40 40	3.5
254	TEC1-12709	9.0	≥67	15.00	80.00	62 62 62 62	5.5
255	TEC1-12710	10.0	≥66	15.00	88.90	40 40 40 40	3.5
256	TEC1-12710	10.0	≥66	15.00	88.90	50 50 50 50	4.2
257	TEC1-12710	10.0	≥66	15.00	88.90	56 56 56 56	4.8
258	TEC1-12710	10.0	≥66	15.00	88.90	62 62 62 62	5.6
259	TEC1-12711	11.0	≥63	15.00	97.80	40 40 40 40	3.3
260	TEC1-12712	12.0	≥65	15.00	106.70	40 40 40 40	3.2
261	TEC1-12712	12.0	≥65	15.00	106.70	50 50 50 50	4.0
262	TEC1-12712	12.0	≥65	15.00	106.70	62 62 62 62	5.1
263	TEC1-12714	14.0	≥66	15.00	124.50	50 50 50 50	3.8
264	TEC1-12714	14.0	≥66	15.00	124.50	62 62 62 62	4.4
265	TEC1-12715	15.0	≥66	15.00	131.30	40 40 40 40	3.1
266	TEC1-12715	15.0	≥66	15.00	131.30	50 50 50 50	3.8
267	TEC1-12715	15.0	≥66	15.00	131.30	56 56 56 56	4.7
268	TEC1-12715	15.0	≥66	15.00	131.30	62 62 62 62	4.85
269	TEC1-12718	18.0	≥65	15.00	160.00	50 50 50 50	3.65
270	TEC1-12718	18.0	≥65	15.00	160.00	62 62 62 62	4.5
271	TEC1-12720	20.0	≥65	15.00	177.80	50 50 50 50	3.3
272	TEC1-12720	20.0	≥65	15.00	177.80	56 56 56 56	4.7
273	TEC1-12720	20.0	≥66	15.00	177.80	62 62 62 62	5.0
274	TEC1-12722	22.0	≥66	15.00	195.60	50 50 50 50	3.3
275	TEC1-12722	22.0	≥66	15.00	195.60	50 50 50 50	3.5
276	TEC1-12725	25.0	≥66	15.00	222.00	62 62 62 62	4.8/4.2
277	TEC1-12726	26.0	≥66	15.00	231.00	50 50 50 50	3.15
278	TEC1-12726	26.0	≥66	15.00	231.00	62 62 62 62	4.7
279	TEC1-12730	30.0	≥65	15.00	266.70	62 62 62 62	4.8
280	TEC1-12740	40.0	≥65	15.00	355.60	62 62 62 62	4.5

281	TEC1-13910	10.0	≥64	16.40	97.30	80	120	80	120	4.9
282	TEC1-13920	20.0	≥66	16.00	194.60	80	120	80	120	4.6
283	TEC1-13936	36.0	≥66	16.40	350.30	80	120	80	120	4.4
284	TEC1-16103	3.9	≥66	19.00	44.00	40	40	40	40	4.2
285	TEC1-16103	3.9	≥67	19.00	44.00	45	45	45	45	4.2
286	TEC1-16104	4.0	≥67	19.00	45.00	40	40	40	40	3.8
287	TEC1-16104	4.0	≥67	19.00	45.00	45	45	45	45	4.4
288	TEC1-16105	5.5	≥67	19.00	56.40	50	50	50	50	3.9
289	TEC1-16106	6.0	≥67	19.00	67.60	45	45	45	45	3.8
290	TEC1-16108	8.5	≥66	19.00	95.80	45	45	45	45	3.5
291	TEC1-16109	9.0	≥67	19.00	101.40	45	45	45	45	3.4
292	TEC1-16110	10.0	≥66	19.00	112.70	45	45	45	45	3.5
293	TEC1-16110	10.0	≥66	19.00	112.70	45	45	45	45	3.8
294	TEC1-16112	12.0	≥65	19.00	135.20	45	45	45	45	3.2
295	TEC1-19901	1.0	≥65	23.40	13.90	40	40	40	40	5.7
296	TEC1-199012	1.2	≥65	23.40	16.70	40	40	40	40	5.4
297	TEC1-19902	2.3	≥66	23.40	32.00	40	40	40	40	5.6
298	TEC1-19903	3.9	≥66	23.40	54.30	40	40	40	40	4.5
299	TEC1-19903	3.9	≥66	23.40	54.30	40	40	40	40	4.7
300	TEC1-19903	3.9	≥66	23.40	54.30	50	50	50	50	4.7
301	TEC1-19904	4.0	≥67	23.40	55.70	40	40	40	40	3.8
302	TEC1-19904	4.0	≥67	23.40	55.70	40	40	40	40	4.3
303	TEC1-19905	5.5	≥67	23.40	69.70	40	40	40	40	3.9
304	TEC1-19906	6.0	≥67	23.40	83.60	40	40	40	40	3.8
305	TEC1-19906	6.0	≥67	23.40	83.60	50	50	50	50	4.0
306	TEC1-19908	8.5	≥66	23.40	118.40	40	40	40	40	3.5
307	TEC1-19908	8.5	≥66	23.40	118.40	40	40	40	40	3.7
308	TEC1-19908	8.5	≥66	23.40	118.40	50	50	50	50	4.0
309	TEC1-19910	10.0	≥63	23.40	139.30	40	40	40	40	3.5
310	TEC1-19911	11.0	≥67	23.40	153.20	40	40	40	40	3.3
311	TEC1-19911	11.0	≥67	23.40	153.20	40	40	40	40	3.5
312	TEC1-19912	12.0	≥63	23.40	167.20	40	40	40	40	3.2

313	TEC1-19913	13.0	≥65	23.40	181.00	40 40 40 40 3.2
314	TEC1-19913	13.0	≥65	23.40	181.00	50 50 50 50 3.2
315	TEC1-19913	13.0	≥65	23.40	181.00	50 50 50 50 3.5
316	TEC1-241017	1.7	≥66	28.40	28.70	55 55 55 55 5.5
317	TEC1-24102	2.3	≥66	28.40	38.80	55 55 55 55 5.2
318	TEC1-24103	3.9	≥66	28.40	65.80	55 55 55 55 4.7
319	TEC1-24104	4.0	≥67	28.40	67.50	55 55 55 55 4.1
320	TEC1-24105	5.5	≥67	28.40	84.40	55 55 55 55 4.1
321	TEC1-24106	6.0	≥67	28.40	101.20	50 50 50 50 4.0
322	TEC1-24106	6.0	≥67	28.40	101.20	55 55 55 55 4.0
323	TEC1-24107	7.5	≥66	28.40	126.50	50 50 50 50 3.8
324	TEC1-24107	7.5	≥66	28.40	126.50	55 55 55 55 3.8
325	TEC1-24108	8.5	≥66	28.40	143.40	55 55 55 55 4.0
326	TEC1-24110	10.0	≥66	28.40	168.70	55 55 55 55 3.8
327	TEC1-24112	12.0	≥65	28.40	202.40	55 55 55 55 4.0
328	TEC1-24115	15.0	≥66	28.40	253.00	55 55 55 55 3.5
329	TEC1-26303	3.0	≥66	31.00	55.20	50 50 50 50 5.2
330	TEC1-26306	6.0	≥66	31.00	110.50	50 50 50 50 4.8
331	TEC1-26308	8.5	≥66	31.00	156.50	50 50 50 50 4.55
332	TEC1-26309	9.5	≥65	30.00	174.90	50 50 50 50 4.1
333	TEC1-26312	12.0	≥65	31.00	220.90	50 50 50 50 4.1
334	TEC1-26315	15.0	≥64	31.00	276.00	50 50 50 50 4.0
335	TEC1-28703	3.9	≥67	33.90	78.40	50 50 50 50 4.2
336	TEC1-28704	4.0	≥67	33.90	80.40	50 50 50 50 5.3
337	TEC1-31130	32.5	≥62	36.70	648.90	80 120 80 120 5.0